Oceanis 38

Inventory list - Europe

Day Sailer



11,15 m

11,50 m

11,13 m

10.72 m

3,99 m

6 095 kg

6 850 kg

1 790 kg

1,64 m

2 060 kg

16,55 m

2 230 kg

130 I

200 I 130 I

20 HP 30 HP

1,26 m / 2,40 m

2,08 m



Day Sailer



Week Ender - 2 convertible cabins



Week Ender - 3 convertible cabins



Cruiser - 2 cabins



Cruiser - 3 cabins



Week Ender / Cruiser



36'7" 37'9"

36'6"

35'2" 13'1"

6'10"

5'5"

54'4"

13,437 lbs

15.102 lbs

3,946 lbs

4,542 lbs

4'2" / 7'10"

4,915 lbs

34 US Gal

53 US Gal

34 US Gal

20 HP

30 HP

GENERAL SPECIFICATIONS

•	L.O.A (Day Sailer)
•	L.O.A (Week Ender & Cruiser)

- Hull length
- L.W.L.
- Beam
- Light displacement (Day Sailer GTE)
- Light displacement (Cruiser GTE)
- · Deep draught
- · Deep ballast weight
- Shallow draught
- · Shallow ballast weight
- Air draught
- · Drifter draught
- Drifter ballast
- · Freshwater capacity (standard)
- Freshwater capacity (optional)
- Fuel capacity
- · Engine power

STANDARD SAIL LAYOUT AND AREA

Mainsail (classic)	32,70 m ²	393 sq/ft
 Furling mainsail 	30,00 m ²	323 sq/ft
 Genoa (103 %) 	33,00 m ²	355 sq/ft
 Asymmetrical spinnaker 	114 m²	1,227 sq/ft
• Code 0	65 m ²	700 sq/ft
Tacking jib	25 m²	269 sq/ft
•	14,01 m	46'
• J	4,79 m	15'9"
• P	13,25 m	43'6"
• E	4,21 m	13'10"

ARCHITECT / DESIGNERS

- · Naval Architect: Finot Cong
- Interior design & Deck: Nauta Design

EC CERTIFICATE

- Category A 8 persons
- Category B 9 persons
- · Category C 10 persons

Inventory list - Europe

	Day Sailer	Week E (Conve		Crui 2C	ser 3C
CONSTRUCTION					
 Design in accordance with European Directive requirements and according to EC certification Monolithic hull design in polyester Monolithic structural inner moulding bonded to the hull Deck injection constructed in glass fibre and Saerfoam foam sandwich, covered with " diamond-tip " type non-slip surface Hull-deck join screwed, bonded and trimmed with 1 bulwark Cast iron keel fixed with bolts and stainless steel backing plates 2 Underhung rudders with stainless steel stock White coloured hull - Grey metal hull decoration 	standard	stand	lard	stand	dard

DECK EQUIPMENT

RIGGING			
Standard mast 9/10 anodized aluminium installed on the deck,			
2 aft-swept spreaders			
Anodised aluminium boom			
Discontinuous stainless steel standing rigging			
1 Backstay: Briddle			
Rigid boom vang with tackle			
Genoa furling system with drum on the deck			
 2 genoa tracks with piston adjusted traveller cars 	standard	standard	standard
 2 Genoa sheet return stainless steel fairleads 			
 Rigging run back to cockpit (except boom topping lift) 			
Complete running rigging: Main halyard, genoa halyard with			
clutch on mast and cleat, Boom topping lift with cleat on mast,			
Mainsheet, 2 Genoa sheets, 2 Automatic reefing system			
 4 clutches, 4 Jamming cleats 			
 1 Fixed point - Mainsail sheet, in cockpit bottom 			
Fixed composite arch, with incorporated LED lighting	Optional	Optional	Optional
2 Stand-up blocks for mainsail sheet	equipment	equipment	equipment

	Day Sailer	Week Ender (Convertible) 2C 3C	Cruiser 2C 3C
WINCHES		•	
 2 Self-tailing genoa sheet winches (H40.2 STA) 1 Coach roof winch self tailing (H35.2 STA) 1 Aluminium "Speed Grip" winch handle, 1 Winch handle box 	standard	standard	standard
SAILS			
 Furling genoa with UV protective strip Semi full batten written mainsail with slider (Roller slides for fully battened mainsail) Lazy Jack and Lazy Bag in Natural colour 	standard	standard	standard
MOORING LINES - MOORING			
 Self-bailing chain locker - Clench bolt - Hatch cover Stainless steel deck plate 6 Aluminium mooring cleats - Stainless steel deck line protection 	standard	standard	standard
COCKPIT			
 Self-draining cockpit 1 Cockpit locker 2 Lockers in cockpit bottom - Side helm's seats 1 Liferaft locker - aft cockipt (0,95 m x 0,59 m x 0,36 m / 3'1" x 1'11" x 1'2") Cockpit bench seats (1,69 m x 0,50 m / 5'7" x 1'8") 2 Steering wheel consoles: Stainless steel steering wheels -800 mm diameter / 2'7" - leather covered - Steering gear at the helm station - metal cable transmission system - Stainless steel handrail - navigation instrument support (optional instruments) -Glass holder 2 Steering compass 2 Deck access points to tiller system 1 Emergency tiller Portside engine control and control panel 2 Hinged PMMA companionway doors - Sliding hatch made of PMMA 	standard	standard	standard
1 Swimming ladder Cockpit shower hot/Cold water		Optional equipment	Optional equipment
		oquipinioni	oquipinoni

Code Beneteau V12252 (J) Eng 09 December 2014 - (non-binding document)

6 Overhead lights

Salon table with one-piece wood top - 2 feet

Inventory list - Europe

Cruiser

standard

standard

standard

Optional equipment

standard

3C

2C

	Day Sailer	Week Ender (Convertible) 2C 3C	Cru 2C	iser 3C		Day Sailer	Week Ender (Convertible) 2C 3C	Ī
SAFETY ON DECK					COMPANIONWAY			_
 1 Open stainless steel forward pulpit, 2 Stainless steel aft pushpits 1 Lifebuoy support bracket Double guardrail and stainless steel stanchions 	standard	standard	stan	ıdard	Headroom: 1,96 m / 6'5" GRP salon companionway coated with non-slip surface on the steps 2 Leather covered stainless steel handrails	standard	standard	
 Opening to port and to starboard in guardrail Ring for flag welded on balcony 					LARGE HANGER CLOSET - PORT SIDE			
SWIM DECK / STERN DECK					Headroom: 1,85 m / 6'1" Beam: 70 cm / 2'4"	standard	standard	
• Fully opening transom, convertible to bathing platform (2,60 m x 0,70 m / 8'6" x 2'4")	Optional	Optional		ional	1 Overhead light 1 Opening porthole in coaming			
Gas cylinder opening - Manual, 1 Stainless steel integrated telescopic swimming ladder	equipment	equipment	equip	oment	FORWARD CABIN			
INTERIOR ACCOMMODATION • Alpi Blond Oak joinery • Brown oak laminated floors • Fabric lined hull in salon and forecabin	standard	standard	stan	ndard	 Headroom: 1,95 m / 6'5" Central double bed (1,50 m x 2,08 m x 1,08 m / 4'11" x 6'10" x 3'7") Valet tray - Open shelving - Drawer under the bed 1 Flush opening deck hatch 	standard	standard	
 Upholstery & Mattress, Dolaro white PVC fabric, Foam density 24 kg/m3 		Standard	Stail	iuaiu	2 Hull ports 2 Reading lights			
SALOON					2 Wood hanging lockers or 2 Longchamp hanging luggages	Optional equipment	Optional equipment	
Headroom: 1,95 m / 6'5" L-shaped saloon bench seat Storage under bench seats					Privative version: • Bulkhead - Door of access • 2 Overhead lights		Pack	
 High, closed units (Port and starboard) Chart table (with opening top) - Reading light Shelves with fiddles 2 Panoramic windows - deckhouse 2 Hull ports 1 Opening deck hatch 1 Opening porthole in coaming 	standard	standard	stan	ndard				

Optional equipment

Optional equipment

Code Beneteau V12252 (J) Eng 09 December 2014 - (non-binding document)

Inventory list - Europe

	Day Sailer	Week (Conve	Ender ertible) 3C	Cru 2C	iser 3C
GALLEY - STARBOARD		I		I	
Headroom: 1,97 m / 6'6"					
Laminated worktop - Taupe					
• 1 Stainless steel sink - 1 Rectangular stainless steel basin - 1					
Tap with cold water, under pressure (Day Sailer) - 1 Mixer tap					
hot water/Cold water (Week-Ender) • Cubby hole locker, Bin	standard	stan	dard	stan	dard
1 Base cabinet: 1 Shelving (the fitted refrigerator in the					
Cuisine Pack version comes in place of this layout)					
1 All-round coachroof window					
Additional equipment for fitted galley					
Gas system: Gas cylinder locker - starboard aft cockpit -					
(25 X 27 X 40 cm / 10" x 11" x 15") - Regulator and safety tap		De	ماد	aton	مامعما
 1 2 hobs stainless steel gas cooker on mounting 		Pack standa		uaru	
Unit: (Drawer & Cupboards)					
Fridge - 12 V - 130 I, front opening					
STARBOARD AFT					
Headroom: 1,85 m / 6'1"					
 Interior stowage space, for 2 cabins versions 	standard	l		l	
Direct access from the salon	standard	standard		standard	
 Allows direct access to the cockpit locker 					
Bulkhead with 1 access door					
1 Overhead light					
Open shelving					
Padding upholstery along the hull			standard		standard
Opening portholes: Roof & Cockpit			stanualu		Stariuaru
Dimensions - Berths:					
1,50 m x 2,00 m x 1,65 m / 4'11" x 6'7" x 5'5"					
1 Wood hanging locker					

	Day Sailer	Week Ender (Convertible)	Cruiser
	- u, c	2C 3C	2C 3C
PORT AFT			
 Headroom: 1,85 m / 6'1" 	standard	standard	standard
Bulkhead with 1 access door			
2 Reading lights			
1 Overhead light			
Open shelving		standard	standard
Padding upholstery along the hull			
Opening portholes: Roof & Cockpit			
1 Wood hanging locker			
Dimensions - Berth (2 cabins version) :		standard	standard
1,65 m x 2,18 m x 2,05 m / 5'5" x 7'2" x 6'9"		standard	standard
Dimensions - Berth (3 cabins version):		standard	standard
1,50 m x 2,00 m x 1,65 m / 4'11" x 6'7" x 5'5"		otanidard	ciandara
STARBOARD AFT HEAD COMPARTMENT			
 Headroom: 1,89 m / 6'2" 			
 Access through saloon 			
 1 Basin, 1 Tap with cold water, Shower 			
1 Manual marine toilet	standard	standard	standard
 Washroom cabinet, 1 Mirror, Toilet accessories, Peg 			
 1 Opening portlight with curtains in side windows in the coa- 			

09 December 2014 - (non-binding document)

Code Beneteau V12252 (J) Eng

1 Mixer tap hot water/Cold water

• 1 Overhead light

Inventory list - Europe

	Day Sailer	Week Ender (Convertible)	Cruiser
	•	2C 3C	2C 3C
ENGINE			
Engine Yanmar Diesel 20 hp / 20 HP Sail Drive	standard	standard	standard
Engine Yanmar Diesel 30 hp / 30 HP Sail Drive	Optional equipment	Optional equipment	Optional equipment
 Engine control - Control panel in cockpit Engine compartment: Soundproofing foam - Ventilation: 2 Air intakes and 1 powered air expulsion 1 Alternator - 12 V / 125 Ah 1 Rotomoulded diesel tank 130 L / 34 US Gal - Gauge at the chart table - 1 Deck filler Filters: Sea water - Diesel - Decanter Fixed three blades propeller 1 Engine access through companionway - 3 access to engine by the sides of the companionway 	standard	standard	standard

ELECTRICITY			
Advanced 12 V circuit			
1 Service battery (80 Ah) - 1 Engine battery (80 Ah)			
1 Power distributor			
12 V electrical panel			
• 1 12 V Socket	standard	standard	standard
Navigation lights: 1 Navigation light - 1 Engine navigation light			
- 1 Anchor light on masthead			
Wire runs for options cables			
 Full 12 / 220 V system: Inside sockets, 40 Amperes battery 			
charger, Shore power socket		Pack	Pack
 2 80 amperes additional service batteries 		1 dok	1 dok
Navigation light & Interior lights LED			

	Day Sailer	Week Ender Day Sailer (Convertible)	
	,	2C 3C	2C 3C
PLUMBING			
1 rotomoulded freshwater tank (130 I / 34 US Gal)			
1 Deck filler			
Water unit	standard	standard	standard
 1 Rigid holding tank 80L / 21 US Gal 	Stariuaru	Stariuaru	Stariuaru
Electric pump & Shower draining			
1 Electric bilge pump - 1 Manual bilge pump			
Plumbing board + Expansion tank			
• Water heater (25 I / 7 US Gal) - engine run (220 V, Electri-			
city Pack)			
Additional freshwater supply (200 I / 53 US Gal)		Optional	Optional
		equipment	equipment

09 December 2014 - (non-binding document)



Fitted galley Pack

Day Sailer	Week Ender	Cruiser
	Optional equipment	standard

- Gas system: Gas cylinder locker starboard aft cockpit (25 x 27 x 40 cm / 10" x 11" x 15") Regulator and safety tap
- 1 2 hobs stainless steel gas cooker on mounting
- Unit (Drawer & Cupboards)
- Fridge 12 V 130 I, front opening

Private forecabin Pack	Optional equipment	standard
------------------------	--------------------	----------

- · Bulkhead Door of access
- 2 Overhead lights

Night pook	nole.	Optional	Optional
Night p	CK	equipment	equipment

- Curtains for hull portholes (Saloon, Forward cabin, Aft cabin(s))
- Curtains for all-round coachroof window
- Mosquito nets to port (Saloon, Aft cabin(s))
- Blackout blind mosquito for deck hatch (Forward cabin and Saloon)

Electricity Pack

Day Sailer	Week Ender	Cruiser			
	Optional equipment	Optional equipment			

- Full 220 V system: 5 Inside sockets, 40 Amperes battery charger, Shore power socket
- 2 80 amperes additional service batteries
- Navigation light & Interior lighting Indirect LED

Mooring Pack

Optional	Optional	Optional
equipment	equipment	equipment

- Electric windlass 1000 W + Remote control
- Bow roller
- Mooring kit (Anchor-Chain-Line)

Outside protections Pack

Optional	Optional	Optional
equipment	equipment	equipment

- Hawsers
- Fenders
- White PVC protective covers (Steering wheel consoles)
- 2 halyard bags

Pack Electronic

Optional	Optional	Optional
equipment	equipment	equipment

- 1 Display "B&G T41" (To port steering console)
- Wind Sensor (Windvane, Anenometer)
- Sensor (Loch, Speedometer, Temperature)
- SonicHub Interior loudspeakers Exterior loudspeakers

09 December 2014 - (non-binding document)

	Day Sailer	Week Ender	Cruiser	Module for altering the		Day Sailer	Week Ender	Cruiser	Module for altering the
INTERIOR				boat	EXTERIOR				
Fitted galley Pack		Optional equipment	standard	Yes	Mooring Pack	Optional equipment	Optional equipment	Optional equipment	Not (1)
Private forecabin Pack		Optional equipment	standard	Yes	Outside protections Pack	Optional equipment	Optional equipment	Optional equipment	Yes
Night pack		Optional equipment	Optional equipment	Yes	Pack Electronic	Optional equipment	Optional equipment	Optional equipment	Yes
Electricity Pack		Optional equipment	Optional equipment	Not (1)	(1) to be selected following definition of the boat				

"Tailor-made" options:

Rigging - Sails

- · Asymmetrical spinnaker rigging + Code 0 Rigging + 2nd bow roller and Bobstav
- Self-tacking jib hardware
- Removable forestay + Tackle
- Chain plate (Releasable Forestay)
- Electric winch Genoa sheet (H46.2STAEH), In place of standard
- Port electric coachroof winch (H40.STAEH), In place of standard
- Coach roof winch to starboard manual (H35.2STA) + Clutches. In place of standard + Winch handle
- Asymmetrical spinnaker
- Tacking jib (replacing genoa)
- Code 0 on furler
- · Anodised mast furling system with mainsail
- · Genoa sheet track leads adjustable from the cockpit
- Backstay adjustment Except on mast with in-mast furling
- 2 Flag halyards

Hull - Deck - Cockpit

- Solid wood slatted aft platform
- Mainsail arch
- Ballasted boat version Centreboard cast iron
- · Inflatable gangway
- Inflatable swimming pool
- Pump for tender or inflatable structure (12 V)
- · Outboard engine Bracket
- Bow thruster
- Shore freshwater supply
- 3 retractable blades propeller
- Grey "Perle" hull or Grey-blue
- · Windlass control in cockpit with chain counter lit
- Solid wood slatted helm seats
- Silver Coachroof sprayhood
- Silver Cockpit Bimini

- · Dark Narval Cockpit cushions
- Cockpit table Removable (Interior/ Exterior)

- Cockpit table De Luxe
 PVC cover (White), Cockpit table "De Luxe"
 Benches + Solid wood decking on cockpit bottom
- Solid wood slatted catwalks

B&G Electronic

- Multifunction B&G Zeus 7"wide screen. Port cockpit
- Pilot B&G AC42 + Control
- · 4G Radar
- B&G V50 VHF, function AIS receiver
- · Module Wifi
- AIS 400

Interior equipment

- TV LED 20" in the saloon, Player DVD, MP3
- Comfort Interior upholstery (Chine Beige, Chine Moka or PVC Taupe fabric), Saloon & Mattress (HR35kg/m3 foam)
- Double berth in saloon
- · Slatted bed base
- Stainless steel 2 burner gas cooker on mounting (In place of standard)
- Microwave
- · Forced air heating fuel
- Air conditioning
- Generator (for 2 cabins versions, only)
- Inverter 12 V
- Quiet Fluch electric toilet + Holding tank
- Longchamp hanging luggages
- Accessory set Longchamp (2 shirt covers, 2 toiletry bags)
- 1 Additional pouffe in saloon
- Saloon table
- · Saloon table extension

- Separate shower (to starboard for 2 cabins versions, to port for 3 cabins versions)
- Wooden companionway steps
- Separation curtain (Saloon / Forward cabin)
- · Wood hanging lockers
- Additional freshwater supply (200 I / 53 US Gal)
- Sea water foot pump