

Provisional General Equipment

GENERAL SPECIFICATIONS

• L.O.A*:	18,22 m	59'9"
Hull length:	15,97 m	52'5"
Overall width:	4,93 m	16'2"
Beam:	4,88 m	16'
• Light displacement (EC):	19 846 kg	43,753 lbs
Air draught:		
- without T-Top:	6,40 m	21'
- with T-Top:	7,40 m	24'3"
Draught (min-max):	1,17 m Max	3'10" Max
Fuel capacity:	2 x 1 100 l	2 x 290 US Gal
 Freshwater capacity: 	2 x 400 l	2 x 105 US Gal
 Maximum engine power: 	2 x 442 Kw -	
	2 x 600 HP	2 x 600 HP
 Max engine certification: 	2 x 442 Kw -	
	2 x 600 HP	2 x 600 HP

* (with aft swimming platform)

ARCHITECT / DESIGNERS

• Design: Nuvolari & Lenard

• Interior accommodation: Andreani Design

EC CERTIFICATE_

• Category B - 14 persons

• Category C - 16 persons

• Category D - 16 persons













Provisional General Equipment

STANDARD EQUIPMENT

CONSTRUCTION

HULL

Composition:

- · Hull and hull mold in infusion
- · White Cream Gelcoat
- Sandwich (Polyester resin Glass fiber Balsa core)
- Structural hull counter moulding in monolithic laminate (Polyester resin - Glass fiber)
- 13 portholes including 12 opening portholes

DECK

Composition:

- · Deck and deck mold in infusion
- · White Cream Gelcoat
- Sandwich (Polyester resin Glass fiber Balsa core)
- · Diamond tip type non-slip covering
- · Structural deck counter moulded in monolithic laminate

DECK EQUIPMENT

- · Radar support in stainless steel
- · Navigation lights
- · LED courtesy lights in gangways, Steps and Stern deck

MOORING LINES - MOORING

- · Bow fitting
- Electric windlass 24V, Power 2 000 W
- Remote control in mooring locker + windlass control from wheelhouse and flying bridge steering stations
- 2 Mooring lockers
- 2 Forward cleats, 2 central and 4 aft in stainless steel
- · 6 Stainless steel fairleads to aft of cockpit

SAFETY ON DECK

- · Stainless steel Half open pulpit with teak step and hand rail
- Stainless steel pulpit surrounding all flybridge
- 2 Stainless steel handrails on access to side decks steps
- 1 Hand rail on aft transom

DECK

- · 4 cup holders
- 1 Opening deck hatch, 1 Fixed hatch
- · Storage locker
- · Pump for deck washing

COCKPIT

- Gate access (Starboard)
- 6 persons saloon
- · Uphostery PVC Diamante Snow, piping Diamante Espresso
- · Access hatch to engine compartment
- · Liferaft compartment or storage under cockpit floor
- Access door for large storage room (standard) or crew cabin (option)
- · Cockpit shower, with Faucet
- · Access stairway to flybridge
- · Teak slatted sunbathing area
- Retractable ladder in swimming platform with solid wood steps and stainless steel handrails
- Direct and indirect lighting LED
- · Teak floor

FLYBRIDGE

- · Grey tinted windscreen, surrounded by stainless steel frame
- Steering console with: Steering compass Steering wheel -Electrical engine controls - Rev counter - Fuel gauge - 12 V socket - Joystick
- Controls for windlass, flaps, lighting, navigation lights, Bilge pumps
- Adjustable pilot seat
- 2 Cupholders & stowage
- · Two seater co-pilot bench to port
- · Saloon, 8 persons
- · Natural Solid wood folding table
- · Aft sun deck (3 persons)
- Galley unit: Sink hot/cold, Place for electric grill (optional), Glasses storage, Corian "Sand" countertop
- Radar support, Aerials and lights in Black lacquered polyester
- Courtesy lighting (LED)
- Exterior upholstery PVC Diamante Snow, piping Diamante Espresso

INTERIOR

- Slatted teak floor in galley (standard)
- Ivory carpet in saloon and cabins
- · Teak head floors or Corian color ""Bone""
- Walnut woodwork

WHEELHOUSE

Headroom: 1,95 m / 6'5"

- Mirror tinted glass Bay window and black painted frame with full opening (1 opening and 2 folding). Curtain "Cream"
- "Venitian" blinds in lacquered wood ""Cream""
- Direct and indirect lighting LED
- Port electric switchboard in companionway (24V/220V)



Provisional General Equipment

STEERING STATION

- · One-piece windscreen, in non-tinted laminated glass
- 2 Windscreen wipers with washers
- · Demisting system
- Pilot seat and double co-pilot bench, or ""Seagull Besenzoni""
 Pilot seat with integrated engine controls
- · Storage drawer
- Dashboard with ""Sand"" metallic paint
- Vessel view 4" (engine data)
- Flaps control
- CUMMINS throttle & controls
- Joystick "ZEUS"
- Steering compass
- Functional controls: Wiper, Demister, Fog horn, Navigation lights, Windlass
- · Valet tray
- Space for 2 multifunction 16" screens or 1 x 24" (optional)
- 1 12 V Socket

SALOON

- Mirror tinted side windows, 2 openings (Port and starboard)
- 6 seater sofa upholstered in "Mondo Cream" fabric
- 2 places facing sofa, upholstery "Mondo Cream" fabric
- High-low electric table, leather top "Eclectic Brown"
- Location for 40" LED television, Audio & DVD player and Bose speakers (Options)
- 1 220 V Socket

GALLEY

Kitchen-type layout

- · Stainless steel sink with mixer tap
- 3 burner induction hob
- Corian "Sand" countertop
- 2 Drawer fridges 75L / 20 US Gal (standard)
- · Cutlery & glasses storage
- Bin
- ""Bone""-laquer finished furniture
- Extractor hood
- Oven
- 2 220 V Sockets

OWNER CABIN (AFT)

Headroom: 1,92 m - 2,03 m / 6'4" - 6'8"

- · Full beam stateroom
- Double berth (1,95 m x 1,58 m / 6'5" x 5'2")
- · Marine mattress with bed base
- Padded bed head board: "Armani Casa"
- 2 Bedside tables with drawer and reading light
- 2 Illuminated wardrobes with double closets and shelves
- Direct and indirect lighting LED
- 2 220 V Sockets
- 2 Panoramic opening porthole-fitted portlights with blinds, ""Cream"" Blackout curtain
- Space for 32" LED TV (optional)
- Storage cupboards (Port side)
- Mirror

OWNER HEAD COMPARTMENT

Headroom: 1,95 m - 2,05 m / 6'5" - 6'9"

- Vacuflush electric toilet + Shared rigid tank (208 I / 55 US Gal)
- · Italian shower with rain shower column
- · Basin with mixer tap, Sink in Corian "Bone"
- Mirror and storage space
- Automatic shower water drainage (by gravity, towards a reserve plug 50L / 13 US Gal)
- 1 220 V Socket
- Opening hull porthole with ""Cream"" Blackout curtain blinds
- 1 Towel rail

VIP CABIN (FORWARD)

Headroom: 2,02 m / 6'8"

- Double berth (1,98 m x 1,40 m / 6'6" x 4'7") or two simple beds (sliding system)
- Marine mattress with bed base
- Padded bed head board. Maiilite
- 4 Opening hull portholes, with blinds, ""Cream"" Blackout curtain
- Long natural light wells, with opening deck hatch, fitted blinds and mosquito net
- 2 Illuminated wardrobes with hanging locker and shelving
- Storage
- 2 220 V Sockets
- · Direct and indirect lighting LED

VIP HEAD COMPARTMENT

Headroom: 1,95 m - 2,05 m / 6'5" - 6'9"

- Vacuflush electric toilet + Shared rigid tank (208 I / 40 US Gal)
- · Separated shower stall with door
- · Basin with mixer tap, Sink in Corian "Bone"
- Shower with mixer tap
- · Mirror and storage space
- Automatic shower water drainage (by gravity, towards a reserve plug 50L / 13 US Gal)
- · Opening hull porthole
- 1 Towel rail
- 1 220 V Socket



Provisional General Equipment

GUEST CABIN (SIDE)

Headroom: 1,87 m - 2,02 m / 6'2" - 6'8"

- 2 Sliding beds, double bed available: 1,91 m x 0,74 m / 6'3" x 2'5" (Single bed) or 1,91 m x 1,48 m / 6'3" x 4'10" (Double bed)
- Marine mattresses
- · Padded bed headboards, Majilite
- 2 Opening hull portholes, with blinds, "Cream" Blackout curtain
- · Bedside tables with drawer and reading light
- 1 220 V Socket
- · Hanging locker with lighting

ENGINE

Pods propulsion:

- Cummins QSC 8.3 Zeus 2 x 442 Kw (2 x 600 HP)
- · Fuel filter with decanter
- Sea water filter
- · Air intakes on the deck for engine compartment cooling
- · Hot air extraction forced by electric ventilators
- · Engine room foam soundproofed
- · Fire extinguishing system activated from the steering station (Wheelhouse)
- · Stainless steel fuel filler
- 2 fuel tanks, each with a 1 100 L(290 US Gal) capacity

Steering system:

- · Hydraulic steering
- · 2 Pods with counter rotative propellers
- Control joystick (Wheelhouse & Flybridge)
- CUMMINS "Skyhook" virtual anchoring
- Automatic trim tabs

ELECTRICITY

- 24 V 220 V Electrical panel
- 8 12 V batteries (4 Engine batteries: 50 Ah + 4 Service batteries: 140 Ah)
- Radio-controlled wireless switches (without battery)
- 2 230 V 50 Hz 63A shore supply with 15 m cable (or 2 220 V 60 Hz, according to country)
- 3 Bilge pumps: 2 Electric pumps 1 Manual pump
- 1 Extinguisher
- Inverter: 24 V / 12 V
- Power distributor
- Battery charger: 24 V 60 Ah
- · Sockets 220V: in saloon, Galley, Heads version and Cabin
- 12V socket on Steering stations (Wheelhouse and Flybridge)
- Direct and indirect lighting LED (internal and external)

PLUMBING

- 2 Roto moulded water tanks, 2 x 400 L / 2 x 105 US Gal capacity of
- · Stainless steel water filler
- · Shore freshwater supply
- Water pump for pressurising hot/cold water system
- 80 L / 21 US Gal water heater working off engine exchanger and 220 V Monte Carlo 5



Provisional General Equipment

TRIM LEVEL

	AVANTAGE	ELEGANCE	EXCLUSIVE
Foredeck and catwalks in teak	•	•	•
2 LED lights integrated to the foredeck	•	•	•
Electric long chairs on foredeck	•	•	•
TV LED 40", in the saloon	•	•	•
Bose Lifestyle 535 5.1 Soundtouch Hi-fi system + Player DVD	•	•	•
Ivory & Eclectic Brown Indoor leather accents on countertops	•	•	•
11 KVA 220 V / 50 Hz Generator	•	•	•
Solid wood cockpit table + Cover		•	•
2 Multifunction SIMRAD NSO 16" evo2 displays in wheelhouse + 1 multifunction NSS 16" evo2 display on flybridge		•	•
Dual-station SIMRAD VHF		•	•
AIS 400 (Transmitter / receiver) Coupled with the VHF		•	•
SIMRAD Broadband 4G Radar		•	•
Wifi connection module (SIMRAD Link to tablet)		•	•
Aft camera		•	•
Hydraulic bathing platform (max load 350Kg)			•
Dinghy craddle integrated to the platform			•
Bow thruster station dual			•

OPTIONS

OPTIONAL LAYOUT VERSIONS ___

CREW CABIN (accessible from cockpit)

Headroom: 1,63 m / 5'4"

- Single bed (1,97 m x 0,75 m / 6'6" x 2'6")
- Shower
- VacuFlush Toilet
- Basin with hot and cold water mixer tap under pressure
- 1 Fixed porthole + 1 Opening porthole



Provisional General Equipment

OTHER OPTIONS

EXTERIOR

- Mooring kit: Anchor Delta 32 kg + Chain 12 mm diameter (Length: 40 m) + Line 22 mm diameter (Length: 50 m) + 4 Moorings lines 18mm (Length: 15 m) + 6 Fenders (290 mm diameter, Length: 1,09 m)
- 3rd Engine control in cockpit (Joystick, Thruster)
- · Thermal imaging camera
- Underwater projectors (x2)
- · Deck searchlight with remote control
- Retractable electric sun awning
- · Integrated telescopic gangway
- · Wine cellar 23 bottles in galley
- Exterior loudspeakers "Bose": Cockpit, Forward sun deck and Flybridge
- Deck forward: "Fusion" Loudspeakers + Remote control
- Ice maker (Flybridge)
- 40 L refrigerator (Flybridge)
- Electric grill "Kenyon" (Flybridge)
- · Galley unit on transom: Electric grill "Kenyon", Sink hot/cold, Work top, Lighting
- · Aft cockpit closing: "Graphite"
- Foldable flybridge bimini "Graphite" with integrated LED lights and hydraulic system
- Aft & side closing ""Graphite"
- · Outside wheelhouse curtains: "Sunworker" black
- · Exterior upholstery fabric Mull Stone
- Pilot seat (Flybridge): Besenzoni
- 4 Folding chairs in teak: "Rex" (MC Special Edition)
- · Protective covers, outside upholsteries: Cockpit, forward, Flybridge
- · Aqua blue & cream hull
- · Hull paint
- Dinghy WILLIAMS 325 Turbojet (MC Special Edition)
- · Foredeck sunshade
- · T-Top in black polyester
- · Electric furler Shore power socket
- · Capstan electrical
- Sensor Structure scan SIMRAD
- · Teak floor Flybridge

INTERIOR / ONBOARD COMFORT

- · Dishwasher for 9 place settings (Port side)
- · Washer + Drver
- Chilled water Mediterranean air conditioning 60 kBTU (24 kBTU + 12 kBTU in wheelhouse, 9 kBTU in master cabin and Heads version, 9 kBTU in the VIP cabin and Guest cabin) - Distribution by ceilings
- Chilled water Tropical air conditioning 72 kBTU (24 kBTU + 12 kBTU in wheelhouse, 9 kBTU in master cabin and Heads version, 9 kBTU in the VIP cabin and 6 kBTU in guest cabin) - Distribution by ceilings
- · Air conditioning 4 kBTU in the crew cabin
- · 12 kW heating, water system
- 2 kW heating, in the crew cabin
- · Pre-wiring for satellite TV reception
- TV 32" in master cabin + Fusion Audio/DVD player + Bose 2.1 Hi-fi system
- TV 23" in the VIP cabin + Fusion Audio/DVD player + Loud speakers "Bose"
- TV 23" in guest cabin + Fusion Audio/DVD player + Loud speakers "Bose"
- · Mosquito nets (Cabins and Aft window door)
- · Set of interior and exterior pillows for decoration
- "Besenzoni Seagull" Pilot seat with integrated engine controls
- · Saloon upholstery Leather
- Ultraleather Saloon upholstery
- 1 Multifunction SIMRAD NSO 24" screen (in place of the NSS 16" (x 2) in wheelhouse)
- · Teak floors in saloon and copanion way
- Seakeeper gyroscopic stabiliser
- Decor luxe option (Travertin style on galley worktop, Basin top + Basin + Travertin style shower for owner's cabin and VIP cabin, Designer's decor staircase parapet, Teak floor in master cabin)
- Safe
- Wheelhouse electric blinds
- Vacuum cleaner